



(sweatband illustration only
hard hat not included)



Part # 20-3100V

Weldas® *SWEATSOpad*® is a unique and innovative sweatband that makes wearing headgear more comfortable year round. These are field tested in a variety of industries to effectively reduce irritation from wearing headgear, improve helmet grip, and provide maximum absorption. The universal fit makes these compatible with nearly all major brand headgear. All the comfort features along with being flame retardant makes these a top seller for our industrial, safety and welding customers.

Testing



Features & Benefits

- U.S. TRADEMARK 3,113,365
- Natural, pH balanced, 100% Flame-Resistant Cotton, outer layer makes comfortable skin contact
- Material: Hook & loop closure, 100% FR cotton outer layer, high absorption polyfoam inner layer

Part #	Size	UPC
20-3100V	Universal	726223931005
20-3400	XL Size	726223034003



MANUAL



WELDAS PRODUCTS: 20-3100V, 20-3100V/17, 20-3200V, 20-3300V EN ISO 11611:2003 CLAUSE 6.6

Warranty:

This product is warranted against manufacturing defects. Because applications vary, it is the user's responsibility to identify the right product for each application.

Drying and ironing:

Mechanical drying and ironing is possible but not advised

Storage:

Store dry and at temperatures over 5° Celcius.
Do not stack higher than 5 cartons on 1 pallet

Washing:

No bleach or acid should be used, just standard washing detergents. The flame retardant characteristics of this products will last only up to 5 hand washings.

Materials used:

A foam innerlayer with a flame retardant fleecy cotton outer layer is used.

Instruction for use:

20-3100V and 20-3100V/17: to be used on the front side of the helmet gear of a welding helmet.
20-3200V: to be used on the front side of the helmet gear of a construction helmet.
20-3300V: to be used on the back side of the helmet gear.

Manufacturer of this product is: Weldas**Address information Weldas:**

Weldas Europe B.V.
Blankenweg 18
NL-4612 RC Bergen op Zoom
Holland
E-mail: europa@weldas.eu